JC02 Rec'd PCT/PTO 31 MAK 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

HANNOUFA et al.

Examiner:

Unknown

Serial No.:

10/516,753

Group Art Unit:

Unknown

Filed:

December 3, 2004

Docket:

00270.0078USWO

Title:

REGULATION OF GENE EXPRESSION USING CHROMATIN REMODELLING FACTORS

MAR 3 1 2016 O 3 SHEET OF THE PROPERTY OF THE

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents P.O. Box 1450

Alexandria, Virginia 22313-1450 March 29, 2005.

Name: Sarah Dannecker

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

23552
PATENT TRADEMARK OFFICE

Commissioner:

We are transmitting herewith the attached:

☐ Transmittal Sheet in duplicate containing Certificate of Mailing

Supplemental Information Disclosure Statement, Form 1449, 105 Reference(s)

Return postcard

Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers or any future reply, if appropriate. Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. A duplicate of this sheet is enclosed.

Merchant & Gould P.C. P.O. Box 2903 Minneapolis, MN 55402-0903 612.332.5300

Name: Gregory A. Sebald

Reg. No.: 33,280

GAS/sbd

S/N 10/516,753 PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

HANNOUFA et al.

Examiner:

Unknown

Serial No.:

10/516,753

Group Art Unit:

Unknown

Filed:

December 3, 2004

Docket No.:

00270.0078USWO

Title:

REGULATION OF GENE EXPRESSION USING CHROMATIN

REMODELLING FACTORS

CERTIFICATE UNDER 37 CFR 1.8:

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 March 29, 2005.

Name: Sarah Dannecker

SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT (37 C.F.R. § 1.97(b))

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Dear Commissioner:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

This statement should be considered because it is submitted before the mailing date of a first Office Action on-the-merits. Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

A copy of any foreign patent document or "Other Document" listed on the Form 1449 is enclosed, in accordance with 37 C.F.R. §1.98(a)(2). Because this application was filed after June 30, 2003, copies of the U.S. Patents and U.S. patent publications listed on the enclosed Form 1449 are not provided.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Please charge any additional fees or credit any overpayment to Deposit Account No. 13-2725.

Respectfully submitted,

PATENT TRADEMARK OFFICE

MERCHANT & GOULD P.C. P.O. Box 2903

Minneapolis, Minnesota 55402-0903

(612) 332-5300

Dated: March 29, 2005

GAS/sbd

Date Mailed: March 29, 2005 Sheet 1 of 7

FΩ	n		•		~+
н.,	к	IVI		44	

INFORMATION DISCLOSURE STATEMENT

Docket Number: 00270.0078USWO

Application Number: 10/516,753

IN AN APPLICATION
(Use several sheets if necessary)

Applicant: HANNOUFA et al.

Filing Date: December 3, 2004

Group Art Unit: Unknown

	·		U.S. PATENT DOCUME	NTS			
EXAMINER INITIAL	DOCUMENT	NO. DATE	NAME	CLASS	SUBCLASS		G DATE OPRIATE
	5,428,147	06/1995	Barker et al.				

		FO	REIGN PATENT DOCUM	MENTS			
	DOCUMENT	NO. DATE	COUNTRY	CLASS	SUBCLASS	TRANS	LATION
						YES	NO
	97/35990	10/1997	WIPO				
	98/37184	08/1998	WIPO				
	00/37660	06/2000	WIPO				
		THED DOCUMENT	S (Including Author, Title,	Data Bartinant F)		
	Ah Inte	mad et al., "WD Repe	ats of the p48 Subunit of Ch Histone Deacetylase-2", Jon	icken Chromatir	Assembly Factor-	1 Required fo	or <i>in Vitro</i> 10. 23:
	Alt Nu	schul et al., "Gapped l cleic Acids Research (BLAST and PSI-BLAST: a (1997); vol. 25, no. 17: 3389	new generation of 3402	of protein database	search progra	ıms",
	An The	An et al., "Strong, constitutive expression of the <i>Arabidopsis ACT2/ACT8</i> actin subclass in vegetative tissues", The Plant Journal (1996); vol. 10, no. 1: 107-121					
	Arc and	Archdeacon et al., "A single amino acid substitution beyond the C2H2-zinc finger in Ros derepresses virulence and T-DNA genes in <i>Agrobacterium tumefaciens</i> ", FEMS Microbiology Letters (2000); 187: 175-178					
	Bar	Bannister et al., "The CBP co-activator is a histone acetyltransferase", Nature (1996); vol. 384: 641-643					
	Bee spe	Beetham et al., "A tool for functional plant genomics: Chimeric RNA/DNA oligonucleotides cause <i>in vivo</i> genespecific mutations", Proceedings of the National Academy of Sciences of USA (1999); vol. 96: 8774-8778					
	Ber Bio	Berleth et al., "Plant morphogenesis: long-distance coordination and local patterning", Current Opinion in Plant Biology (2001); vol. 4: 57-62					
	Bitt	ringer et al., "rosR, a I erations (1997); vol. 1	Determinant of Nodulation (Competitiveness	in <i>Rhizobium etli</i> ",	Molecular Pl	ant-Microl

	the state of the s
EXAMINER	DATE CONCIDENCE
270 00000	DATE CONSIDERED

Date Mailed: March 29, 2005 Sheet 2 of 7

FORM 1449* INFORMATION DISCLOSURE STATEMENT		Docket Number: 00270.0078USWO	Application Number: 10/516,753	
IN AN APPLICATION		Applicant: HANNOUFA et al.		
	(Use several sheets if necessary)	Filing Date: December 3, 2004	Group Art Unit: Unknown	

Boyle et al., "Repression of the Defense Gene <i>PR-10a</i> by the Single-Stranded DNA Binding Protein SEBF", The Plant Cell (2001); vol. 13: 2525-2537
Brandstatter et al., "Two Genes with Similarity to Bacterial Response Regulators Are Rapidly and Specifically Induced by Cytokinin in Arabidopsis", The Plant Cell (1998); vol. 10: 1009-1019
Brightwell et al., "Pleiotropic Effects of Regulatory ros Mutants of Agrobacterium radiobacter and Their Interaction with Fe and Glucose", Molecular Plant-Microbe Interactions (1995); vol. 8, no. 5: 747-754
Burge et al., "Prediction of Complete Gene Structures in Human Genomic DNA", Journal of Molecular Biology (1997); vol. 268: 78-94
Caddick et al., "An ethanol inducible gene switch for plants used to manipulate carbon metabolism", Nature Biotechnology (1998); vol. 16: 177-180
Carrington et al., "Bipartite Signal Sequence Mediates Nuclear Translocation of the Plant Potyviral Nla Protein", The Plant Cell (1991); vol. 3: 953-962
Chou et al., "Agrobacterium transcriptional regulator Ros is a prokaryotic zinc finger protein that regulates the plant oncogene ipt" Proceedings of the National Academy of Sciences of USA (1998); vol. 95: 5293-5298
Chrivia et al., "Phosphorylated CREB binds specifically to the nuclear protein CBP", Nature (1993); vol. 365: 855-859
Clough et al., "Floral dip: a simplified method for <i>Agrobacterium</i> -mediated transformation of <i>Arabidopsis thaliana</i> " The Plant Journal (1998); vol. 16, no. 6: 735-743
Cooley et al., "The virC and virD Operons of the Agrobacterium Ti Plasmid Are Regulated by the ros Chromosomal Gene: Analysis of the Cloned ros Gene" Journal of Bacteriology (1991); vol. 173, no. 8: 2608-2616
D'Souza-Ault et al., "Analysis of the Ros Repressor of <i>Agrobacterium virC</i> and <i>virD</i> Operons: Molecular Intercommunication between Plasmid and Chromosomal Genes" Journal of Bateriology (1993); vol. 175, no. 11: 3486-3490
Eisner et al., "Analysis of <i>Arabidopsis thaliana</i> transgenic plants transformed with <i>CER2</i> and <i>CER3</i> genes in sense and antisense orientations" Theoretical and Applied Genetics (1998); vol. 97: 801-809
Emiliani et al., "Characterization of a human <i>RPD3</i> ortholog, HDAC3", Proceedings of the National Academy of Sciences of USA (1998); vol. 95: 2795-2800
Fischle et al., "A New Family of Human Histone Deacetylases Related to Saccharomyces cerevisiae HDA1p" The Journal of Biological Chemistry (1999); vol. 274, no. 17: 11713-11720
Fukaki et al., "Genetic evidence that the endodermis is essential for shoot gravitropism in <i>Arabidopsis thaliana</i> " The Plant Journal (1998); vol. 14, no. 4: 425-430
Gao et al., "Regulation and characterization of four <i>CBF</i> transcription factors from <i>Brassica napus</i> ", Plant Molecular Biology (2002); vol. 49, 459-471
Gao et al., "Expression of the extrinsic 23-kDa protein of photosystem II in response to salt stress is associated with the K+/Na+ discrimination locus <i>Kna1</i> in wheat", Plant Cell Reports (2001); vol. 20: 774-778

EXAMINER DATE CONS	SIDERED

Date Mailed: March 29, 2005 Sheet 3 of 7

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: Application Number: 00270.0078USWO 10/516,753	
IN AN APPLICATION	Applicant: HANNOUFA et al.	
(Use several sheets if necessary)	Filing Date: December 3, Group Art Unit: Unknown 2004	<u> </u>

Gao et al., "A novel protein from <i>Brassica napus</i> has a putative KID domain and responds to low temperature", The Plant Journal (2003); vol. 33: 1073-1086
Gatz, Christiane, "Chemical Control of Gene Expression", Annual Review Plant Physiology and Plant Molecular Biology (1997); vol. 48: 89-108
Gatz et al., "Promoters that respond to chemical inducers", Trends in Plant Science (1998); vol. 3, no. 9: 352-358
Gelmetti et al., "Aberrant Recruitment of the Nuclear Receptor Corepressor-Histone Deacetylase Complex by the Acute Myeloid Leukemia Fusion Partner ETO" Molecular and Cellular Biology (1998); vol. 18, no. 12: 7185-7191
Gonzalez et al., "Characterization of Motifs Which Are Critical for Activity of the Cyclic AMP-Responsive Transcription Factor CREB", Molecular and Cellular Biology (1991); vol. 11, no. 3: 1306-1312
Gonzalez et al., "Cyclic AMP Stimulates Somatostatin Gene Transcription by Phosphorylation of CREB at Serine 133" Cell (1989); vol. 59: 675-680
Grustein, Michael, "Histone acetylation in chromatin structure and transcription", Nature (1997): vol. 389: 349-352
Hart et al., "A 61 bp enhancer element of the tobacco β-1,3-glucanase B gene interacts with one or more regulated nuclear proteins", Plant Molecular Biology (1993); vol. 21: 121-131
Hassig et al., "Histone Deacetylase Activity Is Required for Full Transcriptional Repression by mSin3A", Cell (1997); vol. 89: 341-347
Hassig et al., "Nuclear histone acetylases and deacetylases and transcriptional regulation: HATs off to HDAC's", Current Opinion in Chemical Biology (1997); vol. 1: 300-308
Hassig et al., "A role for histone deacetylase activity in HDAC1-mediated transcriptional repression", Proceedings of the National Academy of Sciences of USA (1998); vol. 95: 3519-3524
Helarlutta et al., "The SHORT-ROOT Gene Controls Radial Patterning of the Arabidopsis Root through Radial Signaling", Cell (2000); vol. 101: 555-567
Holtorf et al., "Comparison of different constitutive and inducible promoters for the overexpression of transgenes in <i>Arabidopsis thaliana</i> ", Plant Molecular Biology (1995); vol. 29, 637-646
Hurley et al., "Regulation of Changes in Cytosolic Ca ²⁺ and Na ⁺ Concentrations in Rat Submandibular Gland Acini Exposed to Carbachol and ATP", Journal of Cellular Physiology (1996); vol. 168: 229-238
Jofuku et al., "Control of Arabidopsis Flower and Seed Development by the Homeotic Gene APETALA2", The Plant Cell (1994); vol. 6: 1211-1225
Johnson et al., "Histone deacetylases: complex transducers of nuclear signals", Cell & Development Biology (1999); vol. 10: 179-188
Johnson et al., "Activation domains of transcriptional regulatory proteins", Journal of Nutritional Biochemistry (1993); vol. 4: 386-398
Kadosh et al., "Repression by Une6 Involves Recruitment of a Complex Containing Sin3 Corepressor and Rpd3 Histone Deacetylase to Target Promoters", Cell (1997); vol. 89: 365-371

EXAMINER	DATE CONSIDERED
	BATE GOLIGIBEITED

Date Mailed: March 29, 2005 Sheet 4 of 7

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 00270.0078USWO	Application Number: 10/516,753	
IN AN APPLICATION	Applicant: HANNOUFA et al.		
(Use several sheets if necessary)	Filing Date: December 3, 2004	Group Art Unit: Unknown	

Kakimoto, Tatsuo, "CKI1, a Histidine Kinase Homolog Implicated in Cytokinin Signal Transduction", Science (1996); vol. 274: 982-985
Kapila et al., "An Agrobacterium-mediated transient gene expression system for intact leaves", Plant Science (1997); vol. 122: 101-108
Kaya et al., "FASCIATA Genes for Chromatin Assembly Factor-1 in Arabidopsis Maintain the Cellular Organization of Apical Meristems", Cell (2001); vol. 104: 131-142
Keller et al., "Molecular Analysis of the <i>Rhizobium meliloti mucR</i> Gene Regulating the Biosynthesis of the Exopolysaccharides Succinoglycan and Galactoglucan", Molecular Plant-Microbe Interactions (1995); vol. 8, no. 2: 267-277
Khochbin et al., "The origin and utility of histone deacetylases", FEBS Letters (1997); vol. 419: 157-160
Knight et al., "Cold Calcium Signaling in Arabidopsis Involves Two Cellular Pools and a Change in Calcium Signature after Acclimation", The Plant Cell (1996); vol. 8: 489-503
Kohno-Murase et al., "Effects of an antisense napin gene on seed storage compounds in transgenic <i>Brassica napus</i> seeds", Plant Molecular Biology (1994); vol. 26: 1115-1124
Kölle et al., "Substrate and sequential site specificity of cytoplasmic histone acetyltransferases of maize and rat liver", FEBS Letters (1998); vol. 421: 109-114
Kuo et al., "Roles of histone acetyltransferases and deacetylases in gene regulation", BioEssays (1998); vol. 20: 615-626
Laurenzio et al., "The SCARECROW Gene Regulates an Asymmetric Cell Division That is Essential for Generating the Radial Organization of the Arabidopsis Root", Cell (1996); vol. 86: 423-433
Liscum et al., "Phototropism: A "Simple" Physiological Response Modulated by Multiple Interacting Photosensory-response Pathways", Photochemistry and Photobiology (2000); vol. 72, no. 3: 273-282
Lotan et al., "Arabidopsis LEAFY COTYLEDON1 Is Sufficient to Induce Embryo Development in Vegetative Cells", Cell (1998); vol. 93: 1195-1205
Lusser et al., "Histone acetylation: lessons from the plant kingdom", Trends in Plant Science (2001); vol. 6, no. 2 59-65
Mandel et al., "Definition of constitutive gene expression in plants: the translation initiation factor 4A gene as a model", Plant Molecular Biology (1995); vol. 29: 995-1004
Meyer et al., "The Promoter of the Gene Encoding 3',5'-Cyclic Adenosine Monophosphate (cAMP) Response Element Binding Protein Contains cAMP Response Elements: Evidence for Positive Autoregulation of Gene Transcription", Endocrinology (1993); vol. 132, no. 2: 770-780
Miki et al., "Fundamentals of gene transfer in plants", In Plant Metabolism, 2nd edition (1997); DT Dennis, DH Turpin, DD Lefebrve, DB Layzell (eds), Addison Wesly, Langmans Ltd., London: 561-579
Monroy et al., "Low-Temperature Signal Transduction: Induction of Cold Acclimation-Specific Genes of Alfalfa by Calcium at 25°C", The Plant Cell (1995); vol. 7: 321-331

EXAMINER	DATE CONSIDERED

FORM 1449* INFORMATION DISCLOSURE STATEMENT		Docket Number: 00270.0078USWO	Application Number: 10/516,753
IN AN APPLICATION		Applicant: HANNOUFA et al.	
	(Use several sheets if necessary)	Filing Date: December 3, 2004	Group Art Unit: Unknown

	Montminy, Marc, "TRANSCRIPTIONAL REGULATION BY CYCLIC AMP", Annual Review of Biochemistry (1997); vol. 66: 807-822
Murashige et al., "A Revised Medium for Rapid Growth and Bio Assays with Tobacco T Physiologia Plantarum (1962); vol. 15: 473-497	
	Murfett et al., "Identification of Arabidopsis Histone Deacetylase HDA6 Mutants That Affect Transgene Expression", The Plant Cell (2001); vol. 13: 1047-1061
	Murray et al., "Codon usage in plant genes", Nucleic Acids Research (1989); vol. 17, no. 2: 477-498
	Nakai et al., "A Knowledge Base for Predicting Protein Localization Sites in Eukaryotic Cells", Genomics (1992); vol. 14: 897-911
	Nakajima et al., "Intercellular movement of the putative transciption factor SHR in root patterning", Nature (2001); vol. 413: 307-311
	Odell et al., "Identification of DNA sequences required for activity of the cauliflower mosaic virus 35S promoter", Nature (1985); vol. 313: 810-812
	Ogas et al., "Cellular Differentiation Regulated by Gibberellin in the <i>Arabidopsis thaliana pickle</i> Mutant", Science (1997); vol. 277: 91-94
	Ogryzko et al., "The Transcriptional Coactivators p300 and CBP Are Histone Acetyltransferases", Cell (1996); vol. 87: 953-959
	Pazin et al., "What's up and Down with Histone Deacetylation and Transcription?", Cell (1997); vol. 89: 325-328
	Pysh et al., "The GRAS gene family in Arabidopsis: sequence characterization and basic expression analysis of the SCARECROW-LIKE genes", The Plant Journal (1999); vol. 18, no. 1: 111-119
	Quinn, Patrick G., "Distinct Activation Domains within cAMP Response Element-binding Protein (CREB) Mediate Basal and cAMP-stimulated Transcription", The Journal of Biological Chemistry (1993); vol. 268, no. 23: 16999-17009
	Ridgway et al., "CAF-1 and the inheritance of chromatin states: at the crossroads of DNA replication and repair". Journal of Cell Science (2000); vol. 113: 2647-2658
	Rizzo et al., "Unique Strains of SV40 in Commercial Poliovaccines from 1955 Not Readily Indetifiable with Current Testing for SV40 Infection", Cancer Research (1999); vol. 59: 6103-6108
	Robbins et al., "Two Interdependent Basic Domains in Nucleoplasmin Nuclear Targeting Sequence: Identification of a Class of Bipartite Nuclear Targeting Sequence", Cell (1991); vol. 64: 615-623
	Rundlett et al., "HDA1 and RPD3 are members of distinct yeast histone deacetylase complexes that regulate silencing and transcription", Proceedings of the National Academy of Sciences in the USA (1996); vol. 93: 14503-14508
	Salter et al., "Characterization of the ethanol-inducible <i>alc</i> gene expression system for transgenic plants", The Plant Journal (1998); vol. 16, no. 1: 127-132

EXAMINER	DATE CONCIDENCE
EXAMINER	DATE CONSIDERED

Date Mailed: March 29, 2005

FORM 1449* INFORMATION DISCLOSURE STATEMENT	Docket Number: 00270.0078USWO	Application Number: 10/516,753	
IN AN APPLICATION	Applicant: HANNOUFA et a	Applicant: HANNOUFA et al.	
(Use several sheets if necessary)	Filing Date: December 3, 2004	Group Art Unit: Unknown	

Sardana et al., "Construction and rapid testing of synthetic and modified toxin gene sequences CryIA (b & c) by expression in maize endosperm culture", Plant Cell Reports (1996); vol. 15: 677-681
Scheres et al., "Mutations affecting the radial organisation of the <i>Arabidopsis</i> root display specific defects throughout the embryonic axis", Development (1995); vol. 121: 53-62
Schumacher et al., "The <i>Lateral suppressor (Ls)</i> gene of tomato encodes a new member of the VHIID protein family", Proceeding of the National Academy of Sciences in the USA (1999); vol. 96: 290-295
Shaywitz et al., "Magnitude of the CREB-Dependent Transcriptional Response Is Determined by the Strength of the Interaction between the Kinase-Inducible Domain of CREB and the KIX Domain of CREB-Binding Protein", Molecular and Cellular Biology (2000); vol. 20, no. 24: 9409-9422
Silverstone et al., "The Arabidopsis RGA Gene Encodes a Transcriptional Regulator Repressing the Gibberellin Signal Transduction Pathway", The Plant Cell (1998); vol. 10: 155-169
Stockinger et al., "Arabidopsis thaliana CBF1 encodes an AP2 domain-containing transcriptional activator that binds to the C-repeat/DRE, a cis-acting DNA regulatory element that stimulates transcription in response to low temperature and water deficit", Proceedings of the National Academy of Sciences in the USA (1997); vol. 94: 1035-1040
Stockinger et al., "Transcriptional adaptor and histone acetyltransferase proteins in <i>Arabidopsis</i> and their interactions with CBF1, a transcriptional activator involved in cold-regulated gene expression", Nucleic Acids Research (2001), vol. 29, no. 7: 1524-1533
Struhl, Kevin, "Histone acetylation and transcriptional regulatory mechanisms", Genes & Development (1998); vol. 12: 599-606
Tian et al., "Blocking histone deacetylation in <i>Arabidopsis</i> induces pleiotropic effects on plant gene regulation and development", Proceedings of the National Academy of Sciences (2001); vol. 98, no. 1: 200-205
Tian et al., "Arabidopsis SHY2/IAA3 Inhibits Auxin-Regulated Gene Expression", The Plant Cell (2002); vol. 14: 301-319
Ulmasov et al., "Aux/IAA Proteins Repress Expression of Reporter Genes Containing Natural and Highly Active Synthetic Auxin Response Elements", The Plant Cell (1997); vol. 9: 1963-1971
van der Krol et al., "The Basic Domain of Plant B-ZIP Proteins Facilitates Import of a Reporter Protein into Plant Nuclei", The Plant Cell (1991); vol. 3: 667-675
Varagona et al., "Monocot Regulatory Protein Opaque-2 Is Localized in the Nucleus of Maize Endosperm and Transformed Tobacco Plants", The Plant Cell (1991); vol. 3: 105-113
Varagona et al., "Nuclear Localization Signal(s) Required for Nuclear Targeting of the Maize Regulatory Protein Opaque-2", The Plant Cell (1992); vol. 4: 1213-1227
Verbsky et al., "Chromatin remodeling in plants", Current Opinion in Plant Biology (2001); vol. 4: 494-500
Verdel et al., "Identification of a New Family of Higher Eukaryotic Histone Deacetylases", The Journal of Biological Chemistry (1999); vol. 274, no. 4: 2440-2445

EXAMINER	DATE CONSIDERED
E70 WHITEN	DATE CONSIDERED

Date Mailed: March 29, 2005 Sheet 7 of 7

FORM 1449* INFORMATIO	ON DISCLOSURE STATEMENT	Docket Number: 00270.0078USWO	Application Number: 10/516,753
IN AN APPLICATION		Applicant: HANNOUFA et al.	
(Use s	everal sheets if necessary)	Filing Date: December 3, 2004	Group Art Unit: Unknown

Vidal et al., "RPD3 Encodes a Second Factor Required To Achieve Maximum Positive and Negative Transcriptional States in Saccharomyces cervisiae", Molecular and Cellular Biology (1991); vol. 11, no. 12: 6317-6327	
Weissbach et al. (1999), Methods for Plant Molecular Biology, Academy Press, New York VIII: 421-463	
Wu et al., "Functional analysis of a <i>RPD3</i> histone deacetylase homologue in <i>Arabidopsis thaliana</i> ", Plant Molecular Biology (2000); vol. 44: 167-176	
Wu et al., "Functional analysis of HD2 histone deacetylase homologues in <i>Arabidopsis thaliana</i> ", The Plant Journal (2000); vol. 22, no. 1: 19-27	
Xu et al., "Rice Triosephosphate Isomerase Gene 5' Sequence Directs β-Glucuronidase Activity I Transgenic Tobacco but Requires an Intron for Expression in Rice", Plant Physiology (1994); vol. 106: 459-467	
Yanofsky et al., "The protein encoded by the <i>Arabidopsis</i> homeotic gene <i>agamous</i> resembles transcription factors", Nature (1990); vol. 346: 35-39	
Zenser et al., "Auxin modulates the degradation rate of Aux/IAA proteins", Proceedings of the National Academy of Sciences (2001); vol. 98, no. 20: 11795-11800	
Zhang et al., "Analysis of Rice Act1 5' Region Activity in Transgenic Rice Plants", The Plant Cell (1991); vol. 3: 1155-1165	
Zhu et al., "Targeted manipulation of maize genes <i>in vivo</i> using chimeric RNA/DNA oligonuleotides", Proceedings of the National Academy of Sciences in the USA (1999); vol. 96: 8768-8773	

23552
PATENT TRADEMARK OFFICE

EXAMINER DATE CONSIDERED